An Issue Specific Traffic Impact Study

For

The Paseo Village Townhomes

Prepared for

The County of San Diego

And

Day Street Development - LLC

On

May 1, 2007

By

Federhart & Associates 2845 Nimitz Blvd. #G San Diego, CA 92106 TM5509/S06-030

- 8 -

April 24, 2007

ATTACHMENT "C"

Traffic Impact Study: Transportation Division staff has reviewed the following documents regarding the proposed 31-unit Paso Village Townhomes development:

- Traffic Impact Study (TIS) prepared by Federhart & Associates dated January 25, 2007
- 2) Tentative Map prepared by Tri-Dimensional Engineering, inc. dated June 6, 2006
- 3) Design Exception requested by Day Street Development LLC dated November 20, 2006

The following are our comments:

Traffic Impact Study (TIS)

1. The TIS should provide a summary table that fists all the roadway segments and intersections cumulatively impacted by the proposed project and their corresponding mitigation measure.

SEE TABLEG PAGE 30

2. The TIS recommends that the project contribute to the \$R-67/14th Street intersection Capital Improvement Program (CIP) project in order to mitigate its cumulative impacts to non-TIF SR-67 roadway facilities. The TIS should specify AND TOP which of the project's SR-67 cumulative impacts would be mitigated by the contribution towards the CIP project.

SEE BOTTOM PARA.-P.15 PARA.-P.31

3. The TIS recommends that the project pay its fair-share to improvements planned by others at several intersections along SR-67. The proposed project must mitigate its cumulative impacts to the proposed SR-67 intersections in one of the PARA. UNPER following ways: 1) construct the intersection improvements 2) make a fair-share contribution to a construction project after it has been identified/established as an officially scheduled project by the County and/or CALTRANS; or 3) wait until the intersection improvements have been constructed before the project comes online. The TIS should verify that the proposed project will use the aforementioned mechanisms to mitigate its cumulative impacts to non-TIF roadway facilities.

SEE 4 TH RECOMMEN.

Tentative Map

- 1. The project engineer should verify that the project's onsite/internal roadway system will conform to County design standards.
- 2. The local fire district should review and approve the project's access plan and onsite road design.

TM 5509 Traffic Study Table Of Contents

	Page
Executive Summary	
Introduction	/
The Project	1
The Traffic Study	4
Project Traffic Generation	4
Project Traffic Distribution	7
Project Traffic Assignment	7
Project Traffic Impact on Existing Traffic	7
Project Cumulative Traffic Impact	/3
Project Traffic Impact Summary	29
Mitigation	30
CMP Analysis	31
Conclusions	31
Recommendations	32
Annendiv	3 4

List Of Figures

Figure		Page
1	Location	2
2	Site Plan	3
3	Existing Peak Hour Traffic	5
4	Existing Intersection Geometrics	G
5	Project Traffic Distribution	8
6	Project Daily Traffic	9
7	Project Peak Hour Traffic	10
8	Existing Plus Project Traffic	//
9	New Geometrics After Project	12
9A	Guidelines Measure Of Project Impacts	14
10A,16	OB, 10C List of Ramona Projects	16,17,18
11	Total Cumulative Traffic - 11/4/04	19
12	Existing SR 67 ADT's	20
13	Total Cumulative ADT's Without Project	21
14	Existing Plus Cumulative ADT's	22
15	Existing + Cumulative + Project ADT's	23
16	Existing SR 67 AM and PM Peak Traffic	25
17	Total Cumulative Peak Hour Traffic	26
18	Existing Plus Cumulative Peak Hour Traffic	27
19	Existing Plus Cumulative Plus Project Peak Hour Traffic	28
20	Day St. & Vermont St., Preliminary Striping Plan	33

List Of Tables

<u>Table</u>		<u>Page</u>
1	Existing Intersection Delays And LOS's	4
2	Estimated Project Traffic Generation	7
3	Intersection Delays And LOS's Before And After Project	/3
4	Three Traffic Scenario, SR 67 Segment LOS Comparison	15
5	Three Traffic Scenario, SR 67 Intersection Delays and LOS's	24
6	Summary Table Of Project Cumulatively Impacted Segments And Intersections And Their Mitigation	30

Appendix

	<u>Page</u>
Appendix	34
Existing Traffic Counts	A1 thru A4
Existing AM and PM Delay and LOS Calculations	A5 & A6
Existing + Project Peak Hour Delay and LOS Calculations	A7 & A8
Summary of County Public Road Standards and LOS's	A9
11/4/04 80 Project, Cumulative, Traffic Study	A10

Executive Summary

The Paseo Village Townhomes Issue Specific Traffic Impact Study is for a 30 net residential unit project located one block east of SR 67 on Day Street in downtown Ramona.

It will generate 240 ADT and a total of 20 AM and 24 peak hour vehicle trips on the Ramona roadways.

Based on an evaluation of the projects traffic impact on existing traffic, this TM 5509 project will have no direct traffic impacts on any streets or highways in the Ramona area.

When the projects traffic is assigned, it was found <u>that it will have cumulative traffic impacts</u> on roadways in the area, when added to all the other proposed, cumulative, near term projects in the Ramona area.

Its cumulative traffic impacts will be partially mitigated by its 30 units contributing to the County TIF program for those improvements covered in the TIF program.

Its cumulative traffic impacts to four intersections along SR 67 that are not covered by the TIF program, will be mitigated by contributing its fair share to improvements to these intersections planned by others. The intersections are SR 67 at SR 78, SR 67 at Dye/Highland Valley, SR 67 at Archie Moore, and a County CIP project at SR 67 and 14th Street.

At the project itself, TM 5509 will improve its frontages along Day Street, Vermont Street, and La Brea Street to County standards, and with a proposed 145 foot long parking prohibition west of Vermont Street along Day Street, can, and will, at its own expense, restripe the intersection of Day/Vermont to provide separate left turn lanes in both directions on Day Street.

Federhart & Associates

2845 Nimitz Blvd. Suite G San Diego, CA 92106 519) 226-0625 AX (619) 226-0025



JF603 May 1, 2007

A Traffic Study For The Paseo Village Townhomes In Ramona (TM 5509)

Introduction

In mid February 2006, the above consultant was retained by the developer to conduct a traffic study for a small residential project located in Ramona. That traffic study is now complete and this report will document its findings.


The Project

Figure 1 locates the project one block away from Main Street in Ramona. The Paseo Village Townhomes project is proposed to have nine buildings with a total of 31 residential units.

Figure 2 is a Site Plan of the project. Note that the project will gain all of its access via Vermont Street and then Day St. At Vermont and Day Street there is great flexibility of travel. Directly across Day is the K Mart shopping center along with the County Park and Ride lot at the northwest corner of Day / Main. To the right on Day, is the La Brea St. intersection where one can travel to the left and access Main St. at Pala Street. To the right on La Brea is a connection to Main Street via 16th or a route to east or west on Montecito. Finally, a left turn from Vermont to Day takes a project resident to the Day / Main Street intersection which allows travel in all directions.

Vermont Street is a local residential street that will always have very little traffic on it. Thus the 128 foot distance of the first driveway from Day Street, can never create a traffic problem. The design exception for this 128 foot distance rather than the Design Standard, 200 foot distance has been applied for.

In addition to the convenience of travel for resident motorists, it should be noted that pedestrians of the project can easily walk to the K Mart shopping center, to the bus stop on Day St. immediately east of Vermont, and of course, downtown Ramona along Main Street.



PASED VILLAGE TOWNHOMES

LOCATION MAP

Project Site Plan

Steve - glease visert an 8 2 × 11 Coon 2 your site glan here. and place a gage #. FIGURE Z

Thanks

The Traffic Study

In reviewing the County "Guidelines for Determining Significance - Transportation And Traffic", it was determined that TM 5509, with 240 ADT requires an "Issue Specific Traffic Impact Study."

After talking with County staff, the intersections of concern for analyzing the project traffic impacts were Day St at Vermont, Day St at Main Street/SR67, and analyzing and mitigating its Rte 67 cumulative impacts.

Subsequent to that meeting, existing peak hour counts were made at the two intersections on 2/16/06. The counts are shown in the Appendix (A1 - A4) but the counts are summarized on Figure 3.

Using the counts of Figure 3, and the existing lanes and controls shown on Figure 4, made it possible to determine the existing LOS's (Level of Service) and delays at the intersections before the project traffic is added. The LOS's and delays were derived using Highway Capacity Manual (HCM) Traffix computerized formulas. The calculations are shown in the Appendix (A5 &A6) but Table 1 below shows the LOS's and Delays for each of the existing peak hours.

Table 1
Existing Intersection LOS's And Delays In The Peak Hours


Intersection		LOS*	Delay*
1. Day at Vermont			
	AM	B*	10.5*
	PM	B*	12.8*
2. Day at Main St.			
	AM	В	19.5
	PM	\mathbf{C}	26.9
*Word Codo			

^{*}Worst Case

Note in Table 1 that both intersections have good LOS's at the present time with existing peak hour traffic.

Project Traffic Generation

In order to measure a projects traffic impact, it is first necessary to estimate its traffic generation. Using SANDAGS traffic generation rates for attached residential units, Table 2 below shows the projects estimated traffic generation. Note that though the projects has 31 new unit, there is an existing single family dwelling on the property and thus its traffic is already in the existing traffic of Figure 3 and the project has 30 net units.




TRAFFIC STUDY FOR THE

PASED VILLAGE TOWNHOMES

LOCAL EXISTING PEAK HOUR TRAFFIC

FIGURE 3



TRAFFIC STUDY FOR THE

PASED VILLAGE TONNHOMES

EXISTING GEOMETRICS AT THE TWO

CRITICAL INTERSECTIONS AND THEIR

CONTROLS

Table 2
Estimated Project Traffic Generation

					Peak H	Iours *	
		ADT	Two way	A	M	<u>P</u>	<u>M</u>
Land Use	<u>Units</u>	Rate	<u>ADT</u>	<u>In</u>	Out	<u>In</u>	Out
Townhomes with 6 to 20 DU/Acre	30	8	240	4	16	18	8

^{*}At 8% of ADT split 2:8 in AM and 10% of ADT spit 7:3 in PM

Project Traffic Distribution

Besides knowing a projects traffic generation, it is necessary to estimate how that traffic will distribute itself on the various roadways of the community. In this case, this consultant obtained a single zone assignment from SANDAG which made it possible to estimate the projects distribution. Figure 5 shows the project traffic distribution as derived from the SANDAG data.


Project Traffic Assignment

Using the estimated project traffic generation from Table 2 and the distribution just discussed and shown on Figure 5, a traffic assignment was made for the project ADT and the individual peak hours. Figure 6 shows the project daily traffic while Figure 7 shows the AM and PM peak hour traffic. Note on Figure 7 how small the project volumes are when distributed to the various intersections and roadways.

Project Traffic Impact on Existing Traffic

By comparing the ICU's and delays of existing traffic shown in Table 1 (the before traffic) and the ICU's and delays derived by combining the before traffic and project traffic (Figure 7) into the "after" project traffic of Figure 8, the difference will show the true impact of the project.

Using the peak hour volumes of Figure 8 with the project improved geometrics of Figure 9 at Day and Vermont, the same HCM computerized calculations were made as those used to derive the "before" LOS and delays of Table 1 at the intersections. Table 3, below compares the before and after project intersection LOS's and delays and shows the true project impact.



TRAFFIC STUDY FOR THE

PASED VILLAGE TOWNHOMES

PROJECT TRAFFIC

DISTRIBUTION DIRECTIONS

FIGURE 5

FROM SANDAG CITIES/COUNTY, SERIES 10 MOD.


LEGEND MONTECITO 24 RAMONA TRAFFIC STUDY FOR PASEO VILLAGE TOWN HOMES

PROJECT ONLY DAILY TRAFFIC

(240 ADT)

LEGEND MONTECITO XXXX = ADT = PEAK HOURS RAYONAZ RAMONA TRAFFIC STUDY FOR THE PASED VILLAGE TOWNHOMES

PROJECT ONLY PEAK HOUR TRAFFIC




TRAFFIC STUDY FOR THE

PASED VILLAGE TOWNHOMES

COMBINED "AFTER" PROJECT TRAFFIC

("BEFORE" TRAFFIC OF FIG. 3 COMPINED WITH PROJECT TRAFFIC OF FIG. 7)



TRAFFIC STUDY FOR THE

PASED VILLAGE TOWNHONES

NEW GEOMETRICS AFTER PROJECT

INPROVEMENTS

Table 3
Intersection LOS's and Delays Before And After Project

		Be	fore	After	Project	
Intersection		LOS*	Delay*	LOS*	Delay*	Change In Delay
1. Day & Vermont						
	AM	B*	10.5*	B*	10.6	+0.1
	PM	B*	12.8*	B*	12.9	+0.1
2. Day at Main St.						
	AM	В	19.5	В	19.7	+0.2
	PM	C	26.9	C	27.2	+0.3
*Worst Case						

What Table 3 clearly shows is that under the San Diego County "Guidelines for Determining Significance For Traffic" The Paseo Village Townhomes project in Ramona has no direct traffic impact and thus has no direct mitigation requirements. This conclusion is reached by realizing that with LOS C at Day and Main, over 2 seconds of delay is allowable before a direct impact is realized at a signalized intersection. Table 3 shows that with the project traffic in the PM peak, the project increases the delay by a maximum of +0.3 secs. Figure 9A is from the Guidelines and shows the significant delays for LOS E and LOS F intersections, and also the significant ADT's on segments. Table 3 above and the ADT's of Figure 6 clearly show that the project will have no significant direct traffic impacts.

At the unsignalized intersection of Day and Vermont, there is no critical movement at LOS D so no turning move limit of 20 or more, comes into play here and thus there is no direct traffic impact here either.

Project Cumulative Traffic Impact

The County of San Diego has adopted a Transportation Impact Fee program as a way for a project to mitigate its cumulative traffic impact. In the Ramona area, since SR 67 is at LOS F along some segments, any project that adds any traffic to SR 67 has a cumulative traffic impact and must mitigate this impact. The Paseo Village Townhomes project will add traffic to SR 67 (see Figure 6) and therefore must mitigate its cumulative impact. The only meaningful way for a small project to mitigate its cumulative impact is to contribute to the TIF program for those projects in the TIF program and pay its fair share to projects not in the TIF. TM 5509 will contribute to the TIF program based on its 30 net housing units.

Rte 67 on Main Street is not to be improved by the existing TIF program. This means that TM 5509 must find some other approved project in the area to mitigate its cumulative traffic impact on Main Street. The project can then contribute its fair share to the approved project or projects, and thus mitigate its minimal impact on Main Street (SR 67).

• The additional or redistributed ADT generated by the proposed project will significantly increase congestion on a Circulation Element Road, State Highway or intersection currently operating at LOS E or LOS F as identified in Table 1.

Table 1 Measures of Significant Project Impacts to Congestion Allowable Increases on Congested Roads and Intersections

Road Segments

	2-LANE ROAD	4-LANE ROAD	6-LANE ROAD										
LOSE	200 ADT	400 ADT	600 ADT										
LOS F	100 ADT	200 ADT	300 ADT										

Intersections

	11101000010113	_
	SIGNALIZED	UNSIGNALIZED
LOSE	Delay of 2 seconds	20 peak hour trips on a critical movement
LOSF	Delay of 1 second, or 5 peak hour trips on a critical movement	5 peak hour trips on a critical movement

Note: A critical movement is one that is experiencing excessive queues.

Note: By adding proposed project trips to all other trips from a list of projects, these same tables are used to determine if total cumulative impacts are significant. If cumulative impacts are found to be significant, each project that contributes any trips must mitigate a share of the cumulative impacts. Note: The County may also determine impacts have occurred on roads even when a project's traffic or cumulative impacts do not trigger an unacceptable level of service, when such traffic uses a

The County of San Diego Public Road Standards include a table which establishes levels of service for County Circulation Element roads based upon average daily trips. This table shall be used in determining the level of service for County Circulation Element roads. The Highway Capacity Manual (HCM) includes analysis criteria for the assessment of the level of service for two-lane highways. The Director of Public Works may, based upon a review of the operational characteristics of the roadway, designate that a HCM analysis be used to determine the level of service for a two-lane County arterial in lieu of the level of service table provided in the County of San Diego Public Road Standards.

significant amount of remaining road capacity.

In determining the level of service for road segments and intersections outside of the County of San Diego's jurisdiction, the level of service standards for the jurisdiction or agency (Caltrans) shall be used. Early coordination with the affected jurisdiction and/or agency (Caltrans) should be conducted during the preparation of the traffic impact study.

In order to determine the projects cumulative traffic impact along SR 67 all the other Ramona area near term projects must also be identified and their traffic on the Ramona area roadways quantified.

County DPLU staff prepared a list of Ramona area, "near term" projects. A group of traffic engineers, working in the Ramona area then combined the individual traffic generation for these projects and distributed them to the roadways. Figures 10A thru 10C show the DPLU list of the 80 other, near term, projects, while Figure 11 shows the total cumulative traffic volumes from those projects as combined by the group of traffic engineers. After review by County staff, the daily estimates of cumulative traffic shown in Figure 11, were used as cumulative traffic in other traffic studies in the area. (See Appendix)

For use at intersection analysis in traffic studies, a factoring method was used on the Figure 11 volumes to determine peak hour traffic volumes. In this method, existing peak hour intersection volumes were increased by the percentage increase in daily volumes between existing and existing + other projects.

Figure 12 and 13 show the existing ADT's and the total cumulative traffic ADT's without the project.

For segment analyses purposes Figure 14 was derived to show the combined existing plus cumulative traffic ADT's along the 67 corridor. Table 4 below compares the SR 67 segments with existing traffic (Figure 12) and, existing plus cumulative ADT's in the vicinity of the TM 5509 project.

Figure 15 shows the existing plus the cumulative plus the project traffic ADT's for use in Table 4.

Table 4
SR 67, Existing, Existing + Cumulative, and Existing + Cumulative + Project Segments

Existi	ng		Existin	g + Cumu	lative	Existing + Cum + Project							
apacity Volume	<u>V/C</u>	LOS	<u>Volume</u>	<u>V/C</u>	LOS	<u>Volume</u>	V/C	LOS					
37000 23300	0.63	В	30680	0.83	D	30690	0.83	D					
37000 29500	0.80	C	37292	1.01	\mathbf{F}	37363	1.01	F					
37000 27300	0.74	C	34562	0.93	E	34622	0.93	E					
16200 27000	1.67	F	36338	2.24	\mathbf{F}	36370	2.24	F					
16200 24000	1.48	F	34456	2.13	F	34487	2.13	F					
	apacity Volume 37000 23300 37000 29500 37000 27300 16200 27000	37000 23300 0.63 37000 29500 0.80 37000 27300 0.74 16200 27000 1.67	apacity Volume V/C LOS 37000 23300 0.63 B 37000 29500 0.80 C 37000 27300 0.74 C 16200 27000 1.67 F	apacity Volume V/C LOS Volume 37000 23300 0.63 B 30680 37000 29500 0.80 C 37292 37000 27300 0.74 C 34562 16200 27000 1.67 F 36338	apacity Volume V/C LOS Volume V/C 37000 23300 0.63 B 30680 0.83 37000 29500 0.80 C 37292 1.01 37000 27300 0.74 C 34562 0.93 16200 27000 1.67 F 36338 2.24	apacity Volume V/C LOS Volume V/C LOS 37000 23300 0.63 B 30680 0.83 D 37000 29500 0.80 C 37292 1.01 F 37000 27300 0.74 C 34562 0.93 E 16200 27000 1.67 F 36338 2.24 F	apacity Volume V/C LOS Volume V/C LOS Volume 37000 23300 0.63 B 30680 0.83 D 30690 37000 29500 0.80 C 37292 1.01 F 37363 37000 27300 0.74 C 34562 0.93 E 34622 16200 27000 1.67 F 36338 2.24 F 36370	apacity Volume V/C LOS Volume V/C LOS Volume V/C 37000 23300 0.63 B 30680 0.83 D 30690 0.83 37000 29500 0.80 C 37292 1.01 F 37363 1.01 37000 27300 0.74 C 34562 0.93 E 34622 0.93 16200 27000 1.67 F 36338 2.24 F 36370 2.24					

Note in Table 4 that the segment of SR 67 from SR 78 to Montecito is at LOS F with the cumulative and project traffic. Within this reach of SR 67 is the signalized intersection of SR 67 and 14th Street. Street segments rarely limit traffic flow along a corridor like SR 67 and SR 78. Intersections where there is conflicting cross traffic are usually the cause of delay. Because of congestion at 14th Street, the County of San Diego has a CIP project that will add a right turn lane to eastbound 14th Street and provide standard curb

LIST OF PROJECTS IN RJ A WITH TRAFFICE RELATED IMPACTS
as or __ptember 17, 2004

Community Plan		Ramona Ramona	Ramona	Ramona	Ramona	Ramona	Ramona Ramona	Ramona	Ramona	Ramona	Ramona	Ramona	í	Ramona Ramona	Ramona	·Ramona	Ramona Ramona	Ramona	Ramona Ramona	Ramona Ramona	Ramona
Parcel # 322-030-070-00		282-222-13, 14, 15, 16		279-180-25 288-250-25 328-010-02, 328-020-08	. 09, 328-021-01, portion of 328-070-01	portion of 281-484-43	281-460-21 281-121-26	281-160-23	281-342-01		281-130-03 281-182-03, 04	282-262-17	281-122-25	281-351-04, 05, 06, 07,	80	281-122-21, 22 281-191-04, 05, 06, and	282-141-56 282-141-56 281-402-05	204 001 40	282-211-04	244-120-40 th 47, 279- 131-26, 28, 29, 244-140- 01 thn 19, 244-14-01 thn 12, 244-142-01 th 14	rvu isted
Description	Summer camp and retreat center Add parking lot, driveway, shade strucutre, add to church new classrooms (modular)	change car wash-add pumps Ramona Disposal Service / Transfer Station increase in capacity to 700	Mup for boyne valley ranch for group	Landscape Plan - TM 5224 BED & BREAKFACT (MASSE)	Ranch) in Ramona Equestrian Center on SR 78 in	Ramona	Group care MUP for auto yard Converting Existing and Audit	Senior Apartment Housing 12 Unit Apartment Complex (see CG	42/9) 500 ADT	B "D" "C" ello	improvement plans for UY 4422 union bank building 3882 sf (see CC	34,500 office, operations and storage	space for construction and light manufacturing	Ramona D5 and B for auto body shan			. Bldg.	Olive Street in Ramona	auto repair / fully enclosed Ramona fitness center	d s	
Number of Lots/Units or Square Footage	V/N	AN AN	NA	36 lots,	N/A	AN	N/A L	N/A .		N/A		3882 sq.ft.	34,500 sq.ft N/A		A/N	N/A	YN YN	A/N	N/A	45 lots Ha 96 lots 96	
Aplication Status Active	Active Approved 4/24/2003	Active	Approved 9/1/2000 Approved 4/6/2002	, cutton	Active	Approved 2/20/2004	Active	Approved 10/9/2001		Approved 9/9/2002	Approved 2/14/2003		Approved 2/21/2003 Approved 11/25/2002	Active	Active	Approved 12/22/2003 Active	Approved 3/22/2004	Active	Active	Active	
Acreage 562	Not Listed	Not Listed	1. 4.74 Not Listed	ιο	portion of 25.48		9.63	0.62		4.78	0.72		9.13	Not Listed	4.21	6.79	Not Listed	2 -	Not Listed	60.34	,
Project Name Salvation Army Camp	Grace Community Church Ramona Mobile Oll-Car Wash	Ramona Disposal Service	Kevin O'Conner 535 Haverford Rd Winterview-3rd Replacement	Rancho Canada Bed and Breakfast	Mountain Valley Ranch Hellman Changing Options Groun	Care Care Nielsen MUP	Canyon Crest Apts.	SSA Enterprises	Ramona Airport Expansion Alamo Mini Storage- Easement	Olympic Public Storage	Daniel Vengler	G G	Express Car Wish Site Plan	Souza-Site Plan- One Stop Rental	under TM)	Ramona Library Big Apple Bagles	Olive St Self Storage	Ramona Automotive		Black Canyon Lueif Ranch in Ramona Dye Road	
Project # MUP 70-379 W2.	MUP 78-121-06. MUP 89-019		MUP 00-031	MUP 02-005		MUP 03-086 _c MUP 03-094	STP 85-003	STP 00-013 STP 00-100	-	STP 01-022	STP 01-030	STP 01-074	STP 01-083	STP 02-040 So	- -	STP 02-077 STP 03-044 STP 03-077	STP 03-079	STP 04-048		TM 4844 TM 4862 Lueit	Updated by DPLU Staff, September 17, 2004
\	11	1	1	7	21	1	1	1/2	6	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1	7	7 1	1	. 1	3	1	1	ĺ	<u> </u>	Popper / O A

LIST OF PROJECTS IN RA A WITH TRAFFICE RELATED IMPACTS as of September 17, 2004

			Kamona	Ramona	Ramona	Ramona			Ramona				Ramono	Ramona		Kamona	Ramona	BIOLIBA	Ramona	Ramona	Ramona	Ramona	Ĺ,	Kamona	Kamena	Ramona			Ramona	Ramona		Ramona	Domod	Ramona		Ramona	ć	Kamona	Ramona	Ramona	Ramona	Ramona	Ramona		Ramona	DI CITING
		279-121-45	286-041-04	282-342-16, 17, 19	279-030-02 05 07 05	10, 11, 279-010-09, 19		277-111-09, 277-121-05.	320-010-01-02-020	01, 328-020-08, 09, 328-	130-07, 328-010-02, 327-	100-01, 328-	327-030	279-093-41	Not listed	382-011-03 thru 06, 379-	192-15, 379-010-08, 33		288-090-15, 331-031-08	284-032-17	27,071-72	282-261-62 282-370 64	02. 19. 20	388-202-25 26	284-320-79	Not listed	282-010-30, 43, 282-021-	01, 04, 282-022-01, 282-	80	281-100-29, 34	200	401-121-13, 23	282-341-02, 17	281-490-41	276-040 02 04 02	20 caronoz, 04, 06	278-351-09	277-111-37	283-055-24	277-111-38	276-023-15	283-055-58	Z/9-092-02	279-151-11, 15	281-030-52	
	RAMONA replacement RP5	easement to be vacated	AS LOT SUBDIVISION	15 Lots		3/ LOT SUBDIVISION		Replacement	CBM NO.			hes. subdivision with a guest lodge,	14 lot fm no prior or #	417 sfd on 935 ac with historical park	and school	formerly highlood	replace TM withdraw		Sion	8 LOT SUB.	ER review for SPA 03-004	igned under	REZ 04-02	o lot subdivision	single family		M .25 TO		Replacement map for 45	Story on 4 lots	Tentative Map 16 lot split	TO CLEVE	Ramona of of the	16251 Bandy Canyon Rd between	Ysabel Creek Rd and Hwy 78	Parcel minor subdivision on Garjan	210T MINOB CURE	4 LOT SUBDIVISION	2 LOT MINOR SI IBDIVISION	SGOBASSI TPM	4 lot minor subdivision	Not Listed	4 LOTS PLUS DES. REMAINDER	PARCEL	TPM 4 PARCELS AND REMAINDED	APN 327-011 36
		30 lots 25 lots	12 lots	15 lots	37 lote			. 38 lots			-	670 lots	14 lots		11/ 1008	57 lots		67 lots	/ lots	8 lots	21 1018	77 lots	8 lots	12 lots	22 lots		136 -4-	130 10(\$	45 units		16 lots	11 lots		3	Y/X	2 lots	2 lots	4 lots	2 lots	2 lots	1	4 lots	5 lots			4 lots
	Andrea	Active	Approved 8/28/1998	007/07	Active			Active			•	Active	Approved 2/5/04	Active	****	Acuve	Arthus	Active	Active (replaced)	Active		Active	Active	Active	Active	•	Active		Active	Active		Active	Approved 10/9/2002	Approved 6/23/1999		Approved 10/20/2003	Approved 10/22/1998	Approved 3/3/2000	Approved 9/22/2002	Approved 10/4/2000	Approved 8/22/2001		Active	Approved 2/26/2003	Approved 2/3/2003	
	75.82	219	3.75		289		147.69	90:1			40 426 70	69.57		935	768		327	9.57	48.26	137.53		27.6	8 27	84 15			682.02		70	2.87		12.77	33:	302	0	8.53	45.22	8.32	19.82	17.1	37.46	1	3.52	+	67.1	
	M.D.S.DEV.CORP./DECA	Kamona Kidge Estates Weish TM	Brisson	TEYSSIER TM		•	A NATURAL HIGH INC				Monte Vista Oaks	Stonecrest Development Inc.		MOINTECTTO RANCH	Oak Country Estates		Development Venture/ Rainbird Rd	Sunset Vista	SPITSBERGED STIBLE	NOISING SOROINION	ELIOT TW	LAKESIDE VENTURES TM	Meadow Builders	Mt. Woodson, The Gallery		805 PROPERTIES PAA/ Cumming	Kanch	Nickel Creek	Maple Street Business Park	Condos	THE THE PARK	Koury- Old Julian Highway	Fenton Ranch (TM 4979) Bandy	Canyon	Brinkler-Airmail Lane	Lynn Thomas	RCDK Reality II	Lee	Sgobassi	Badley/ Ouisenherry	Sich Kulselibelly- Calyn Ct.	Mc Candlers- Pahl's way	Dahi		BORTSEWICZ, EDWARD	
	TM 4962	TM 5136.	IM 5188	TM 5194			TM 5198			,desir	TM 5235	IM 5244	TM 5250		TM 5253	TW 50 gr	TM 5287	TM 5267	TM 5294		TM 5302	TM 5307	IM 5311	IM 5329		TM 5344		TM 5347	F			TPM 19982 TE	TPM 20299 PDI		TPM 20318	TPIM 20370	TPM 20401	TPM 20466	TPM 20496	TPM 20498 RPL 2 E	L	TPM 20564 RPL3	TPM 20698.	TPM 20816		
•	>		3				•		٠,	`		7	_	•	>	•		•	> /	- ۲	.	. .	7 7			7)	1		7,	7	>		\$		7,7	7	t',	\$. 3	. <i>I</i>		7	ı Fi	

Fig. 10 B

	283-061-32	-	-		1	1		282-273-23 Ramoria	20,000	331-040-21, 22 Ramona	244-100-13 Damon					210-411-09 Ramona	284-1/3-32 Ramona,	282-341-17 Ramons	281-522-15	1	Ramona Ramona
	3 PARCEL LOT SPLIT	Not Listed	4 lot subdivision	4 lots	3 lots over 10ac in GP category 20	4 lots	4 lots manlacement man	dell'illelle dell'elle	TPM to create 4 lots plus a remainder		I TIM, to create tour lots	4 lot minor subdivision			4 lots and remainder	Not I ista	Atmosphila	Tebilialinger	I PM for 4 lots	4 plus remainder	
	Approved of 12/2003 3 lots	-	Action Action 4 lots			Active 4 lots	Active 4 lots		Active 5 lots	Active 4 lots	Active				Active 5 lots	Active 4 lots	Active 5 lots	Active	Active	D lots	
Huber TPM 12 88	Road	Bush TPM 102	Herold- Hillgrest Lane 4.68	-	_			KVAAS- Rainbird Road	1		Ledesma-Ledesma Lane 2.53	Wakeman- Old Julian Road 21.41	Thompson- Haverford Road 11 97	-		Jan	1	10.11	roung- Sixteenth Street	Bates- Bandy Canyon/ Highland	Valley
TPM 20650	TPM 20656	▼ TPM 20665	TPM 20679 RPL	TPM 20692	TPM 20703 RPL	TPM 20724		TPM 20747	TPM 20749	TDM SOTEO	11 mi 20100	1PM 20766 RPL	TPM 20769	TPM 20770	TPM 20771 RPL	TPM 20792	TPM 20801	TON SOON	1	-	TPM 20809

The projects listed above represent County projects that were either approved or active within the Ramona Coummunity Planning boundaries as of September 17, 2004. This list only includes projects that were included in the Urban Systems Associates Report, dated July-26, 2004 and historical data ending in September 17, 2004 in County databases including LDMS, KIVA and the GIS Discretionary Project Layer. The number of lots and square footage has not been verified with

September 17, 2004




FIGURE 11

S.P.78 LEGEND MONTECITO XXXX = ADT X/X = PEAK HOURS RAYIONAZ 23300 29500 25000 JP.67 1000 27300 RAMONA DYE R.D. TRAFFIC STUDY FOR PASEO VILLAGE TOWN HOMES

EXISTING S.R. 67 ADTS






FIGURE 13



22

FIGURE 14



PASEO VILLAGE TOWN HOMES

EXISTING + CUMULATIVE + PROJECT ADTS

returns at the intersection thus improving, the LOS at the intersection and along the SR 67 segments.

Table 4 also shows that SR 67/Main Street from Montecito to south of Archie Moore is LOS E or F with either existing or existing + cumulative + project traffic. Major intersections along this reach of SR 67 are the cause of the excessive delays. Intersection improvement projects have bee proposed at these major intersections by other development projects.

Figure 16 shows the existing AM and PM peak hour volumes while Figure 17 shows the existing plus cumulative projects AM and PM peak hour volumes at the critical intersections.

Table 5 below shows the comparison of the existing delays and LOS's at the SR 67 intersections with the delays and LOS's using the existing plus cumulative peak hour volumes of Figure 18. All calculations and results were derived from the Oct 23, 2006 Montecito Ranch Traffic study.

Figure 19 is the combined peak hour volumes of existing plus cumulative plus project volumes for use as the third traffic scenario in Table 5.


Table 5

<u>SR 67 Existing, Existing + Cumulative, and Existing + Cumulative + Project Intersection Comparison</u>

	Exis	sting	Existing + Cun	nulative Project	Existing + Cum + Project			
Intersection	Delay LOS		<u>Delay</u>	LOS	Delay**	LOS**		
SR67 at SR78								
AM	33.7	C	102.4	F	102.4	F		
PM	49.1	D	193.1	F	193.1	F		
SR67 at Montecito Rd								
AM	26.0	C	39.7	D	39.7	D		
PM	30.2	C	54.3	D	54.3	D		
SR67 at Dye Rd/ H.V.								
. AM	54.7	D	161.7	F	161.7	\mathbf{F}		
PM	22.3	C	53.1	D	53.1	D		
SR67 at Archie Moore			•					
AM	141.0	F	*	F	*	F		
PM	27.4	D	*	F	*	F		


^{*}Unsignalized - worst approach delay is so high it is beyond model accuracy

^{**}Project volumes are so small No calculations were made - No changes in V/C or LOS




PASEO VILLAGE TOWN HOMES

EXISTING S.R. 67 AMANDPM PEAK HOUR TRAFFIC




TOTAL CUMULATIVE TRAFFIC
FOR PEAK HOURS



PASEO VILLAGE TOWNHOMES

EXISTING PLUS CUMULATIVE AM AND PM PEAK HOUR VOLUMES



EXISTING + CUNULATIVE + PROJECT PEAK HOUR VOLUMES As shown in Table 4, there are a number of segments that are at LOS E or F before the project traffic is added. Thus, the project will have a cumulative traffic impact on SR 67. Figure 6 shows these impacts to be very small however, e.g. 31 project ADT's, compared to 7792 ADT of the total cumulative traffic or .004%, on SR 67 approaching SR 78 (Fig. 12). These volumes and the project are so small that the project can not do any meaningful mitigation except contribute its fair share to larger mitigation projects when planned.

The same is true south of the project where the total cumulative traffic is 9038 ADT approaching Dye Road on SR 67 and the TM 5509 project will add only 31 ADT through the Dye Road intersection or .0034%. These project volumes will not be noticeable to the traveling public since daily, weekly and seasonal traffic volumes will vary much more than the project ADT's on SR 67.

Table 5 shows the critical SR 67 intersections under all three of the traffic scenarios e.g. existing traffic, existing + cumulative, and existing + cumulative + project traffic of Figure 7. As shown on Table 5, it is the cumulative traffic (Figure 18) that makes the big difference in Table 5 - the TM 5509 project does not. Table 5 shows that the project has a cumulative traffic impact on three of the four intersections eg. SR 67 at SR 78, SR 67 at Dye Road/Highland Valley, and SR 67 at Archie Moore.

Project Traffic Impact Summary

Table 3 and Figure 6 clearly show that according to the Guidelines, TM 5509 will have no direct traffic impacts (See Guidelines Figure 9A).

Tables 4 and 5 clearly show that the project will have minor cumulative impacts along SR 67 south of SR 78 and at three intersections according to the Guidelines, and therefore must mitigate.

Table 6 below is a summary table of segments and intersections where the TM5509 project will have a cumulative impact and therefore must help mitigate its non- TIF fee cumulative impacts.

Table 6
<u>Summary Table Of Project Cumulatively Impacted Segments And Intersections And Their Mitigation</u>

<u>Segments</u>	Mitigation Projects
1. SR 67 / Main Street at SR 78, to Montecito	At SR 78 and SR 67, restripe the west leg of SR 78 and modify the signal. Pay Fair Share at 14th Street and SR 67, add an eastbound right turn lane and normal curb returns to reduce existing LOS. Pay Fair Share of County CIP project
2. SR 67 / Main Street Monticito to Archie Moore	Improve traffic on segments by improving intersection of SR 67 and Dye Road/Highland Valley, and installing a traffic signla at SR 67 and Archie Moore.
Intersections 1. SR 67 / Main St at SR 78	See above and pay fair share
2.SR 67/Main St. At Dye Rd/Highland Valley	Provide dual, westbound, Dye Rd. left turn lanes as proposed by others. Pay Fair Share.
3. SR 67 at Archie Moore	Install a traffic signal that will probably be implemented by Caltrans and Pay Fair Share.

Mitigation Description

Table 5 shows the three intersections along SR 67 that the project should help mitigate because of its cumulative traffic impact. These intersections can be greatly improved by the improvements listed below from the Montecito Ranch TIS. TM 5509 should make its Fair Share contributions to all of these projects.

- 1. SR 67 at SR 78 (Pine at Main): With the addition of the cumulative traffic, the SR 78 leg of the intersection needs to be re-striped to provide a right turn lane. The traffic signal also needs to be modified. Project impacts at this location are cumulative, so payment of the projects fair share of the cost is required for mitigation. The fair share of the project should be based on its traffic being .0026% of the total entering cumulative traffic.
- 2. <u>Highland Valley Road / Dye Road</u>: Based on existing and cumulative traffic growth this intersection will need to be widened. Other projects (The Cummings Ranch) will complete the project which provides dual westbound Dye Road left turns. The TM 5509 project should contribute its fair share to mitigate its cumulative impacts here, based on its share being .0039% of the total entering cumulative traffic.
- 3. <u>SR 67 at Archie Moore</u>: Signalize this intersection. A project fair share contribution will be required at this location. Caltrans or others will implement the project. A fair share contribution from TM 5509 to mitigate its cumulative impact should be based on its .0033% of the total entering cumulative traffic.

4. At the discretion of the County Dept. of Public Works, the project could help mitigate its cumulative traffic impact on SR 67 by contributing to a County Capital Improvement project just north of Montecito Road at the signalized intersection of SR 67 and 14th Street. This project will add a separate right turn lane on eastbound 14th street approaching SR 67, and will construct standard curb returns on all four quadrants. The CIP project is proposed to provide and improve LOS at the SR 67 intersection, better access to new streets constructed northwest of Main Street and reduce traffic on Montecito at SR 67. The TM 5509 project should base its fair share on its traffic being .0026% of the total entering cumulative traffic to the intersection.

CMP Analysis

Based on the Guidelines, the TM 5509 project does not require a CMP analysis since its 240 ADT traffic generation is only 10% of the 2400 ADT, adopted regionally, as the normal divide where CMP analysis is required.

Conclusions

The Paseo Village Townhomes project is a good project for developing additional, close in, residential housing since it has minimal traffic impacts, is within walking distance to shopping, the court house, the library, the park and ride facility and a bus stop in Ramona.

The Paseo Village Townhomes project in Ramona (TM 5509) with 240 generated ADT's, has no direct traffic impacts on Day Street, or SR 67, either at intersections or segments.

Since sections of SR 67 segments and intersections are already at LOS E or F, TM 5509 will have cumulative traffic impacts and must mitigate.

TM 5509 will mitigate its non SR 67 cumulative impacts by participating in the County TIF program with its 30 units.

Since SR 67 improvements are not part of the TIF program, TM 5509 must mitigate its minor cumulative impacts by paying its fair share of four intersection improvements as proposed by others. These intersection improvements will also improve SR 67 segment operations.

TM 5509 will pay its fair share of proposed improvements at SR 67 and SR 78, at SR 67 and Dye Rd/Highland Valley, and at SR 67 and Archie Moore. Additionally, if asked, it will pay its fair share to a County CIP project at the signalized intersection of SR 67 and 14th Street.

TM 5509 will dedicate and improve its frontages along Day Street, Vermont Street and La Brea Street to County of San Diego standards.

TM 5509 will restripe Day Street to create separate left turn lanes at the Day Street/Vermont Street intersection as shown on a preliminary drawing on Figure 20.

Recommendations

It is recommended that TM 5509 improve its street frontages to County of San Diego standards of dedication and pavement and sidewalk construction.

It is recommended that TM 5509 apply for a design exception for the Vermont Street driveway closest to Day Street.


It is recommended that TM 5509 pay for, and restripe, the intersection of Day/Vermont similar to that shown on Figure 20, and apply for the 145 feet of no parking along its frontage on Day Street west of Vermont Street as shown on Figure 20.

It is recommended that TM 5509 pay its fair share to the improvements planned by others, at the intersections of SR 67/SR 78, SR 67/Dye-Highland Valley, SR 67/Archie Moore, and the County CIP project at SR 67/14th Street, after they have been identified / established as officially scheduled projects by the County and/or Caltrans.

It is recommended that TM 5509 contribute to the County TIF program based on its 30 net housing units.

With the implementation of the above recommendations, the project will have mitigated its traffic impacts and thus the County, and the Ramona community, can be assured that the Paseo Village Townhomes project will have done it share towards alleviating existing traffic problems.

Federhart & Associates 5/1/07



DAY ST. - VERMONT ST.

PRELIMINARY STRIPING PLAN

SCALE = 1" = 30 FT.

GIGUE

FIGURE 20

APPENDIX